

Safety Data Sheet

Big Sexy Hair Spray & Play

SECTION 1: IDENTIFICATION

SDS FIRST PREPARATION DATE: October 7, 2016

FORMULA: F-3038

GENERIC/CHEMICAL NAME: N/A

PRODUCT TYPE/CHEMICAL FAMILY: Personal Care Product

PRODUCT CODE: N/A

SYNONYMS: Sexy Hair – Spray & Play 55% VOC

CONTACT ADDRESS: Sexy Hair Concepts, LLC. 21551 Prairie St. Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMREC 1-800-424-9300 (24 hours daily)

SECTION 2: HAZARDS IDENTIFICATION

Classified as Hazardous Substance and Dangerous Goods.

| | |
|--------------------------|---|
| Classification: | Category 2 Flammable Aerosol |
| Eye Damage / Irritation: | Category 2B |
| Signal Word: | Danger |
| Hazard Statements: | Causes Eye Irritation Flammable Aerosol Highly Flammable liquid and vapor |

Hazard Pictograms:



Precautionary Statements:

| | |
|-------------|--|
| Prevention: | Pressurized Container. Do not pierce or burn, even after use. May burst if heated. No smoking during use. Keep away from heat, sparks, open flames, hot surfaces. Do not spray on open flame or other ignition source. Keep out of reach of Children. May cause drowsiness or dizziness. |
|-------------|--|

| | |
|-----------|--|
| Response: | IF IN EYES: Rinse cautiously with water for several minutes. Remove Contact Lenses. Continue rinsing. If eye irritation persists, get medical attention and/or advice. IF INHALED: Move to fresh air. |
|-----------|--|

| | |
|----------|--|
| Storage: | Protect from Sunlight. Do not expose to temperatures exceeding 48°C / 120°F. |
|----------|--|

| | |
|-----------|------|
| Disposal: | None |
|-----------|------|

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition:

| Ingredient | Synonyms | No. CAS | Percent |
|------------------------|----------------------------|----------------|----------------|
| Ethanol | Alcohol, Anhydrous alcohol | 64-17-5 | 53.23 |
| Hydrofluorocarbon 152a | R-152A, Difluoroethane | 75-37-6 | 40 |
| Amino-methyl-propanol | AMP | 124-68-5 | 1.08 |

| | | | |
|--------------|------------------|-----------------|--------------------------------|
| | NPCA-HMIS | NFPA 704 | KEY: NPCA-HMIS/NFPA 704 |
| HEALTH | 1 | N/A | 4=Severe/Extreme |
| FLAMMABILITY | 4 | N/A | 3=Serious/High |
| REACTIVITY | 0 | N/A | 2=Moderate/Moderate |
| | | | 1=Slight/Slight |
| | | | 0=Minimal/Insignificant |



SECTION 4: FIRST AID MEASURES

| | |
|---|--|
| Inhalation: | Move to fresh air, keep at rest. If symptoms persist, get medical attention. |
| Eye Contact: | Rinse cautiously with water for several minutes. Remove Contact Lenses. Continue rinsing. If eye irritation persists, get medical attention and/or advice. |
| Skin Contact: | None under normal use. If irritation occurs, rinse thoroughly with warm water. Wash affected area with soap and water. Remove contaminated clothing and launder before reuse. If irritation or swelling persists, consult a physician immediately. |
| Ingestion: | Product is not likely to be ingested. If this occurs, treat symptomatically. Drink plenty of water or milk. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Require medical assistance immediately and estimate time and quantity ingested. |
| Symptoms or Effects of Acute exposure: | |
| Inhalation: | Coughing, nasal congestion, irritation to nose, throat and respiratory system. |
| Eye Contact: | May cause redness, itching and stinging. |
| Skin Contact: | Irritation, redness, allergic skin reactions such as dermatitis. |
| Ingestion: | May cause nausea, vomiting, diarrhea and central nervous system depression. |
| Delayed Symptoms: | May cause eye irritation. Most symptoms are acute from overexposure. |

SECTION 5: FIRE FIGHTING MEASURES

| | |
|--|---|
| Fire and explosion: | Aerosol Level 1 NFPA 30B. Aerosols burst at temperatures above 120°F (48°C) or when exposed to direct fire. In case of fire nearby aerosols, keep them cool by directing cool water until fire is completely extinguished. If aerosols are bursting due to direct exposure to fire, keep away until bursting finishes. Aerosols may be projectile hazards carrying fire to other areas. |
| Suitable Extinguishing Media: | Dry chemical, foam, halon, CO2 or water spray |
| Unsuitable Extinguishing Media: | None |
| Firefighting Procedure Recommendations: | Keep aerosols cool until fire is out. Aerosols burst at temperatures above 120°F (48°C) or when exposed to direct fire. In case of fire in any area near the aerosols, use jets of cold water over the containers in order to prevent increased temperature and pressure. Wear self-contained breathing apparatus and full protective gear. |

SECTION 6: ACCIDENTAL RELEASE MEASURES

| | |
|------------------------------|--|
| Containment: | Contain and absorb with inert material, ventilate area, eliminate sources of ignition, flames or sparks, interrupt the electrical current, avoid contact with skin, eyes and breathing vapors. |
| Personal Precautions: | Use the appropriate safety equipment (PPE). Avoid contact with skin, eyes and do not breath vapors |
| Cleanup Procedure: | Do not puncture or incinerate cans. Vapors and liquid extremely flammable. Dispose of waste in accordance with environmental standards and local regulations, state and federal implement. |
| Emergency Procedure: | The aerosol container is airtight, no room for massive spills or leaks. In case of leakage of several cans due to rupture, eliminate all ignition sources (smoking, sparks, flames) |



SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling: Keep away from open flames, hot surfaces and sources of ignition. Avoid smoking during handling. Observe label precautions. Avoid puncturing cans. Take all necessary precautions using lift trucks. Forklifts handling flammable aerosols should be ex proof.

Conditions for Safe Storage: Store in a cool, dry well ventilated area. Avoid temperatures above 40°C. Avoid heat and direct sunlight. Do not keep aerosols inside cabin of cars. Aerosols may explode due to excessive heat causing injuries to people and / or car.
NFPA 30B: Level 1 Aerosol (Storage)

Incompatible Products: None known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| Ingredient | No. CAS | ACGIH | | OSHA PEL | | NOM 076 SSA1 | | Other DNEL (Derived No effect level) |
|-----------------------------------|---------|------------|--------------------|---------------------|--------------------------|--------------|---|--|
| | | TLV ppm | STEL ppm | TWA | TWA | TWA | Limit immediately dangerous to life & health | |
| Ethanol (Anhydrous Alcohol) | 64-17-5 | 1000 | 1000 15 mins | 1000 ppm 8 hours | 1900 mg/m3 8 hours | 1000 ppm | 3300ppm | N/A |
| Difluoroethane (R152A) | 75-37-6 | 1000 | N/A | N/A | N/A | N/A | N/A | 675mg/m3 |

Appropriate Engineering Controls: Use in well ventilated areas. Use local exhaust ventilation in order to keep workers or customer exposure to airborne contaminants below recommended limits above.

Personal Protective Measures: None required for normal conditions of use. Avoid eyes and skin contact. For prolonged use (above 20 minutes per day), use rubber gloves and safety glasses.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State @21°C liquid & gas pressurized in aerosol container
Appearance: Aerosol particles in a fine spray
Appearance of bulk without gas: straw yellow liquid
Odor: Perfume characteristic
Odor Threshold: No information available
pH: 9.2 - 9.7
Melting / freezing point: No information available
Initial Boiling point / boiling range: No information available
Flashpoint: bulk 12-16°C
Evaporation Rate: No information available

Product is not reported as Carcinogen
Difluoroethane:

Reproductive toxicity of NOEC = 50000 ppm
Genotoxicity: weakly positive.

Ethanol:

No carcinogenic, no teratogenic effects, no mutagenic effects, no reproductive toxicity.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity tests performed on aquatic and/or terrestrial organisms:

No specific ecological data available for this product.

Ethanol is biodegradable in the environment. It is a metabolite of and nutrient of microbes.

Difluoroethane:

Found in Literature:

| | Algae / Aquatic plants EC50 | Fish LC50 |
|-----------------------------------|------------------------------------|--------------------------------|
| Difluoroethane CAS 75-37-6 | 47.755 mg/L | 295.783 mg/L: 96 h Fish |

Poorly absorbed into soil or sediments. Product tend to volatize rapidly into the air.

Adverse Effects:

No known ozone layer depleting potential. 55%
Volatile Organic Compound

SECTION 13: DISPOSAL CONSIDERATIONS

| | |
|---|--|
| Waste Disposal and Treatment: | Aerosol Cans are regulated as D003 reactive hazardous waste and / or D001 ignitable hazardous waste in some states due to the potential to explode when heated or punctured. Check local, state and federal laws and regulations in order to determine appropriate disposal. Only licensed facilities must provide treatment, storage and disposal of hazardous waste. |
| DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. | |
| Aerosols are Pressurized Containers. Do not pierce or burn, even after complete use. Empty containers may contain flammable and explosive vapors. | |

SECTION 14: TRANSPORT INFORMATION

United Nations Code (UN number): UN 1950

DOT:

U. S. DOT Proper Shipping Name:

UN1950 Aerosols 2.1

U. S. DOT Hazard Class:

ORM-D / 2.1

U. S. DOT Labels Required:

None

IATA:

IATA Proper Shipping Name:

Consumer Commodity ORM-D (at Home)

Aerosols, Flammable, NOS, UN1950 (Export)

IATA Hazard Class:

2.1

| | |
|--|---|
| IATA Labels Required: | Consumer Commodity ORM-D (at Home) Flammable Gas (Export) |
| Bill of Lading Description: | Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, N.O.S., 2.1, UN1950 (Export) |
| IMDG: | |
| IMDG Shipping Name: | Aerosols |
| IMDG Hazard Class: | 2.1 |
| IMDG Labels Required: | The box must be marked "Aerosols" |
| IMDG Secondary Labels Required: | Hollow Diamond with UN1950 Marked in Center |
| IMDG Placards Required: | None |
| Bill of Lading Description: | Aerosol, 2, UN1950 |
| Marine Pollutant: | No |
| IMDG Page Number: | 2102 |
| SCT: | |
| SCT | UN1950, AEROSOLS, 2.1 |

SECTION 15: REGULATORY INFORMATION

| | |
|--|---|
| SARA 313: | Not applicable for consumer use. |
| CERCLA: | Not applicable for consumer use. |
| Food and Drug Administration (FDA): | The product described in this Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature. |
| Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61): | Not applicable for consumer use. |
| Clean Water Act: | Not applicable for consumer use. |
| California Proposition 65: | This product is not subject to warning labeling under California Proposition 65. |
| Cofepris: | This product complies with requirements of the Secretaría de Salud for Personal Care Products. |
| TSCA: | The components of this product are listed on the TSCA Inventory |

SECTION 16: OTHER INFORMATION

This SDS has been prepared under the Hazard Communications Standard of OSHA.

ABBREVIATIONS:

| | |
|---------------|---|
| ACGIH: | American Conference of Governmental Industrial Hygienists |
| DOT: | Department of Transportation |
| IMDG: | International Maritime Dangerous Goods Code |
| NFPA: | National Fire Protection Association |
| OSHA: | Safety and Health at Work |
| PEL: | Permissible Exposure Limits |

ppm: parts per million

CERCLA: Comprehensive Environmental Response Compensation and Liability Act

SARA: Superfund Amendments and Reauthorization Act

TLV: Threshold Limit Value

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, the above-named supplier assumes no liability whatsoever for the accuracy or completeness of the information contained herein. The information given is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GENERAL INFORMATION:

| | |
|---------|----------------------------------|
| CAS No. | Chemical Abstract Service Number |
|---------|----------------------------------|

EXPOSURE LIMITS IN AIR:

| | |
|-------|---|
| ACGIH | American Conference on Governmental Industrial Hygienists |
| C | Ceiling Limit |
| ES | Exposure Standard (Australia) |
| IDLH | Immediately Dangerous to Life and Health |
| OSHA | U.S. Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| STEL | Short-Term Exposure Limit |
| TLV | Threshold Limit Value |
| TWA | Time Weighted Average |

FIRST AID MEASURES:

| | |
|-----|--|
| CPR | Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body. |
|-----|--|

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

| | |
|---|-----------------|
| 0 | Minimal Hazard |
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |

| |
|----------------------------|
| HEALTH |
| FLAMMABILITY |
| PHYSICAL HAZARDS |
| PERSONAL PROTECTION |

PERSONAL PROTECTION RATINGS:

| | | | |
|---|--|---|--|
| A | | G | |
| B | | H | |
| C | | I | |
| D | | J | |
| E | | K | |
| F | | X | Consult your supervisor or SOPs for special handling directions. |

| | | | |
|----------------------|-----------------------------------|----------------------------------|---------------------------|
| | | | |
| Safety Glasses | Splash Goggles | Face Shield & Protective Eyewear | Gloves |
| | | | |
| Boots | Synthetic Apron | Protective Clothing & Full Suit | Dust Respirator |
| | | | |
| Full Face Respirator | Dust & Vapor Half-Mask Respirator | Full Face Respirator | Airline Hood/Mask or SCBA |

OTHER STANDARD ABBREVIATIONS:

| | |
|-------|------------------------------------|
| ML | Maximum Limit |
| mg/m3 | milligrams per cubic meter |
| NA | Not Available |
| ND | Not Determined |
| NE | Not Established |
| NF | Not Found |
| NR | No Results |
| ppm | parts per million |
| SCBA | Self-Contained Breathing Apparatus |


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

| | |
|--------------------------|---|
| Autoignition Temperature | Minimum temperature required to initiate combustion in air with no other source of ignition |
| LEL | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |
| UEL | Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |

HAZARD RATINGS:

| | |
|---------|-----------------|
| 0 | Minimal Hazard |
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |
| ACD | Acidic |
| ALK | Alkaline |
| COR | Corrosive |
| W | Use No Water |
| OX | Oxidizer |
| TREFOIL | Radioactive |



TOXICOLOGICAL INFORMATION:

| | |
|--|--|
| LD ₅₀ | Lethal Dose (solids & liquids) w/s |
| LC ₅₀ | Lethal concentration (gases) which kills 50% of the exposed animal |
| ppm | Concentration expressed in parts of material per million parts |
| TD ₀₁ | Lowest dose to cause a symptom |
| TCLo | Lowest concentration to cause a symptom |
| TD ₀₁ , LD ₀₁ & LD ₀₂ or TC, TC ₀₁ , LC ₀₁ & LC ₀₂ | Lowest dose (or concentration) to cause lethal or toxic effects |
| IARC | International Agency for Research on Cancer |
| NTP | National Toxicology Program |
| RTECS | Registry of Toxic Effects of Chemical Substances |
| BCF | Bioconcentration Factor |
| TL _m | Median threshold limit |
| log K _{ow} or log K _{oc} | Coefficient of Oil/Water Distribution |

REGULATORY INFORMATION:

| | |
|----------|---|
| WHMIS | Canadian Workplace Hazardous Material Information System |
| DOT | U.S. Department of Transportation |
| TC | Transport Canada |
| EPA | U.S. Environmental Protection Agency |
| DSL | Canadian Domestic Substance List |
| NOHSC | National Occupational Health and Safety Commission (Australia) |
| NDSL | Canadian Non-Domestic Substance List |
| PSL | Canadian Priority Substances List |
| TSCA | U.S. Toxic Substance Control Act |
| EU | European Union (European Union Directive 67/548/EEC) |
| WGK | Wassergefährdungsklassen (German Water Hazard Class) |
| HMIS-III | National Paint & Coatings Association Hazardous Materials Identification System |

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

| | | | | | | | |
|------------|-----------|-----------|----------|------------|------------|-----------|----------|
| | | | | | | | |
| Class A | Class B | Class C | Class D1 | Class D2 | Class D3 | Class E | Class F |
| Compressed | Flammable | Oxidizing | Toxic | Irritation | Infectious | Corrosive | Reactive |

EC (67/548/EEC) INFORMATION:

| | | | | | | | |
|-----------|-----------|-----------|---------|-----------|-------|----------|---------|
| | | | | | | | |
| C | E | F | N | O | T | Xi | Xn |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

CLP/GHS (1272/2008/EC) PICTOGRAMS:

| | | | | | | | | |
|-----------|-----------|----------|-------------|-----------|-------|--------------------|---------------|-------------|
| | | | | | | | | |
| GHS01 | GHS02 | GHS03 | GHS04 | GHS05 | GHS06 | GHS07 | GHS08 | GHS09 |
| Explosive | Flammable | Oxidizer | Pressurized | Corrosive | Toxic | Harmful Irritating | Health Hazard | Environment |