



Safety Data Sheet

Big Sexy Hair Total Body

SECTION 1: IDENTIFICATION

SDS FIRST PREPARATION DATE: April 13th, 2017

FORMULA: 36173-01 / JDL-030317-B

GENERIC/CHEMICAL NAME: N/A

PRODUCT TYPE/CHEMICAL FAMILY: N/A

PRODUCT CODE: N/A

SYNONYMS: Big Sexy Hair Full Body Lotion

CONTACT ADDRESS: Sexy Hair Concepts, LLC 21551 Prairie St. Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

24 Hr. EMERGENCY TELEPHONE NUMBER:

CHEMTREC 800-424-9300 (within the USA)

TELEPHONE NUMBER FOR INFORMATION:

818-206-6700

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification (According to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910.1200): No Need for classification according to GHS criteria.

GHS Label Element:

The product does not require a hazard warning label in accordance with GHS criteria

Symbol: No needed according to classification criteria.

Signal Word: No needed according to classification criteria.

Hazard Statement: No needed according to classification criteria.

Precautionary Statement: No needed according to classification criteria.

Other Hazards which do not result in classification

Inhalation: Slight nasal irritation may occur

Skin contact: May be irritating to extra-sensitive skin.

Eye contact: May cause mechanical irritation.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation.

Chronic effects and medical conditions aggravated by overexposure: Chronic effects and medical conditions aggravated by overexposure to this product have been not established. Unnecessary exposure to this product or any chemical should be avoided.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

The identity of individual components of this mixture is proprietary information and regarded to be a trade secret. However, based on the health hazard determination of contained ingredients present, this mixture presents the following health hazard(s):

Hazardous Components	% Range	CAS NO.	OSHA PEL	ACGIH TLV
N/A	N/A	N/A	N/A	N/A

SECTION 4: FIRST AID MEASURES

Inhalation:	If inhaled, remove to fresh air. Get Medical attention if symptoms occur
Skin:	If irritation is experienced, wash exposed area thoroughly with water. If irritation persists, get medical assistance.
Eyes:	Flush with plenty of water for 15 minutes, if irritation persists, get medical assistance.
Ingestion:	Do not induce vomiting, drink 3-4 glasses of water. Get prompt medical attention.

SECTION 5: FIRE FIGHTING MEASURES

Flammability classification:	Not Flammable
Flash point:	Not Applicable
Extinguishing media:	Foam, CO ₂ , water fog, sand/earth.
Unusual fire and explosion hazards:	Not Applicable
Special firefighting procedures:	Must wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire exposed container with water spray.

SECTION 6: ACCIDENTIAL RELEASE MEASURES

Steps to be taken in case material is released or spilled:	Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand or earth.
Disposal method:	Sweep up and dispose of in accordance with Federal, State and local regulations.

SECTION 7: HANDLING AND STORAGE

Usage precautions: Use as directed.
Storage precautions: Protect containers against physical damage. Keep closed until used. Store in a dry place at ambient temperatures. Keep out of reach of children.
Other precaution: Caution! Spilled material is slippery.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering control: Not required.
Respiration protection: Not applicable.
Protective gloves: Not required.
Eye and face protection: Not required.
Hygienic work practices: No special practices noted. No eating or drinking while working with this material.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling range: Not determined.
Vapor density: Heavier Lighter than Air
Evaporation rate: Faster Slower, than Ether
Appearance: Opaque, Semi-Viscous Cream
Odor/taste: Floral
Solubility in water: Miscible
pH (range): 5.35-6.35
Specific gravity: 1.01
Viscosity (range): 20,000 – 30,000 CPS

SECTION 10: STABILITY AND REACTIVITY

Stability: Unstable Stable
Incompatibility (materials to avoid): Strong acids and oxidizing agents.
Hazardous decomposition products: May produce toxic fumes of oxides of carbon, sulfur and nitrogen; ammonia.
Hazardous polymerization: May Occur Will Not Occur
Conditions to avoid: Extreme temperatures.

SECTION 11: TOXICOLOGICAL INFORMATION

The product has not been tested for specific toxicity data. This product has not been tested on animals.

Carcinogenicity:	This information is not available.
Reproductive toxicity:	No Data Available
STOT-Single exposure:	No Data Available
STOT-Repeated exposure:	No Data Available
Aspiration toxicity:	No Data Available

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:	No Data Available
Persistence and degradability:	No Data Available
Bioaccumulative potential:	No Data Available
Other Adverse Effects:	No Data Available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Collect and dispose of in accordance with Federal, State and local laws and regulations. This product is not classified as a hazardous waste.

SECTION 14: TRANSPORT INFORMATION

General information: Not regulated according to RID, ADR, ADNR, IMDG, IATA-DGR, CFR and TDG

SECTION 15: REGULATORY INFORMATION

U.S Federal Regulations

TSCA:	All components are listed or exempted
SARA, Title III, Section 313 (40CFR 372):	No listed substance
SARA 302/304/311/312 extremely hazardous substances:	No listed substance
SARA 302/304 emergency planning and notification:	No listed substance
California Proposition 65:	This product is not subject to warning labeling under California Proposition 65

SECTION 16: OTHER INFORMATION

HMIS IDENTIFICATION SYSTEM:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

Disclaimer:

The information contained in this Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on its own studies and on the work of others, and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, or adequacy of the information herein. It is intended to assist in the normal safe usage of the product.

GENERAL INFORMATION:																									
CAS No.	Chemical Abstract Service Number																								
EXPOSURE LIMITS IN AIR:																									
ACGIH	American Conference on Governmental Industrial Hygienists																								
C	Ceiling Limit																								
ES	Exposure Standard (Australia)																								
IDLH	Immediately Dangerous to Life and Health																								
OSHA	U.S. Occupational Safety and Health Administration																								
PEL	Permissible Exposure Limit																								
STEL	Short-Term Exposure Limit																								
TLV	Threshold Limit Value																								
TWA	Time Weighted Average																								
FIRST AID MEASURES:																									
CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.																								
HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:																									
0	Minimal Hazard																								
1	Slight Hazard																								
2	Moderate Hazard																								
3	Severe Hazard																								
4	Extreme Hazard																								
<table border="1"> <tr><td>HEALTH</td></tr> <tr><td>FLAMMABILITY</td></tr> <tr><td>PHYSICAL HAZARDS</td></tr> <tr><td>PERSONAL PROTECTION</td></tr> </table>		HEALTH	FLAMMABILITY	PHYSICAL HAZARDS	PERSONAL PROTECTION																				
HEALTH																									
FLAMMABILITY																									
PHYSICAL HAZARDS																									
PERSONAL PROTECTION																									
PERSONAL PROTECTION RATINGS:																									
A																									
B																									
C																									
D																									
E																									
F																									
G																									
H																									
I																									
J																									
K																									
X	Consult your supervisor or SOPs for special handling directions.																								
<table border="1"> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Safety Glasses</td> <td>Splash Goggles</td> <td>Face Shield & Protective Eyewear</td> <td>Gloves</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Boots</td> <td>Synthetic Apron</td> <td>Protective Clothing & Full Suit</td> <td>Dust Respirator</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Full Face Respirator</td> <td>Dust & Vapor Half-Mask Respirator</td> <td>Full Face Respirator</td> <td>Airline Hood/Mask or SCBA</td> </tr> </table>						Safety Glasses	Splash Goggles	Face Shield & Protective Eyewear	Gloves					Boots	Synthetic Apron	Protective Clothing & Full Suit	Dust Respirator					Full Face Respirator	Dust & Vapor Half-Mask Respirator	Full Face Respirator	Airline Hood/Mask or SCBA
Safety Glasses	Splash Goggles	Face Shield & Protective Eyewear	Gloves																						
Boots	Synthetic Apron	Protective Clothing & Full Suit	Dust Respirator																						
Full Face Respirator	Dust & Vapor Half-Mask Respirator	Full Face Respirator	Airline Hood/Mask or SCBA																						
OTHER STANDARD ABBREVIATIONS:																									
ML	Maximum Limit																								
mg/m3	milligrams per cubic meter																								
NA	Not Available																								
ND	Not Determined																								
NE	Not Established																								
NF	Not Found																								
NR	No Results																								
ppm	parts per million																								
SCBA	Self-Contained Breathing Apparatus																								
NATIONAL FIRE PROTECTION ASSOCIATION: NFPA																									
FLAMMABILITY LIMITS IN AIR:																									
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition																								
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source																								
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source																								

HAZARD RATINGS:	
0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer
TREFOIL	Radioactive

TOXICOLOGICAL INFORMATION:	
LD ₅₀	Lethal Dose (solids & liquids) w/s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD ₀₁	Lowest dose to cause a symptom
TCLO	Lowest concentration to cause a symptom
TD ₀₁ , LD ₀₁ & LD ₀₁ or TC, TC ₀₁ , LC ₀₁ & LC ₀₁	Lowest dose (or concentration) to cause lethal or toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log K _{OW} or log K _{OC}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:								
WHMIS	Canadian Workplace Hazardous Material Information System							
DOT	U.S. Department of Transportation							
TC	Transport Canada							
EPA	U.S. Environmental Protection Agency							
DSL	Canadian Domestic Substance List							
NOHSC	National Occupational Health and Safety Commission (Australia)							
NDSL	Canadian Non-Domestic Substance List							
PSL	Canadian Priority Substances List							
TSCA	U.S. Toxic Substance Control Act							
EU	European Union (European Union Directive 67/548/EEC)							
WGK	Wassergefährdungsklassen (German Water Hazard Class)							
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System							
WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:								
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F	
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive	
EC (67/548/EEC) INFORMATION:								
C	E	F	N	O	T	Xi	Xn	
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful	
CLP/GHS (1272/2008/EC) PICTOGRAMS:								
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment